

तार : 'फूडकोर्प'
Gram : 'FOODCORP'
फैक्स नं. : एचएफसीआई एनडी
०६६१११२३४१३२४१
००६१११२३४१३१०३
Fax No. : HFCI ND
00911123413241
00911123413103

भारतीय
खाद्य
निगम



FOOD
CORPORATION
OF INDIA

मुख्यालय
नई दिल्ली
Head Quarters
New Delhi

१६-२०, बाराखम्बा लेन, नई दिल्ली-११०००१. दूरभाष- ०११-४३५२७६९७, ०११-४३५२७६९८
16-20, BARAKHAMBA LANE, NEW DELHI-110001, PHONE : 011-43527697, 011-43527698

E.3 (28)/PEG-08/NEZ/Stg. IV/Vol. II/3940

Dated: 20.08.2013

The Executive Director (Zone),
FCI, Zonal Office,
Guwahati

Sub: Implementation of PEG scheme in NE states parallel to Plan Scheme.

Ref: 1. ZO letter no. Stg. 32 (139)/NEZ/XIIth Five Year Plan/2011-12/Vol.I dated
03.07.2013.
2. RO, FCI, Shillong letter no. E. 54/NEFR/Stg./2013 (Master Plan) dated
17.07.2013.

Sir,

Kindly refer to above mentioned references on the cited subject. HLC in its 34th meeting on 20.05.2013 has decided to implement PEG scheme for a capacity of 3.19 lakh MT in NE states. Accordingly, SLC meetings in respect of Tripura and Mizoram were held on 10.07.2013. The SLC proposals for these two states were placed before HLC in its 35th meeting held on 24.07.2013 and it was decided by HLC to approve the proposals allowing both the states to go ahead with the tendering process.

Now, the minutes of SLC meetings held on 07.06.2013, 29.06.2013 and 11.07.2013 have been forwarded to this office in respect of Assam, Manipur and Meghalaya respectively. As proposal for implementation of PEG scheme in NE zone have already been approved in principle by HLC in its 35th meeting on 24.07.2013 and SLC proposals of Assam, Manipur & Meghalaya are merely regarding permission for going ahead with tendering process and nomination of FCI as nodal agency, the same need not be placed before HLC once again.

In view of above it has been decided that Assam, Manipur and Meghalaya regions in NE zone may go ahead with the tendering process. FCI may act as nodal agency in these states as proposed by SLC. Further, the issue of Nagaon in Assam region will be clarified separately after consulting Engineering Division.

It is therefore requested to take necessary action accordingly.
This issues with the approval of competent authority.

Yours faithfully,

(Vijay Parashar)

General Manager (S&C)

21/8/13